

# Guide How To Use Albert's Easy Activator

Albert's Easy Activator v.0.57.17 - by Albert Swafega

Step1 - Select Keygen to Use

English  Use TT7\_Keygen.exe  Use TT8\_Keygen.exe

Step2 - Enter DeviceID (No Spaces) or browse for \*.bif file

Step3 - Browse to find the Map Folder you want to Activate the contents of

Map Details :

<input type="text"/>
<input type="text"/>
<input type="text"/>
<input type="text"/>

Step4 - Browse to find the latest Meta.txt

0 Meta's

Step5 - Generate the \*.dct file for your map

Step6 - Patch your TomTom (Optional)

Primary Server  Secondary Server  Internet Connection Status

Alot of first time users ask how to install a new navcore and how to install a new map and i thought i'd give a hand how to do it the easy way using **Albert's Easy Activator**  
 This explains how to make a complete fresh install from scratch

**However!** If you dont want to upgrade your existing ttsystem (navcore) ,you need to patch the one you have allready, this is possible now in the new vers of Alberts Easy Activator in

### Step 6

So there's basicaly 2 ways to do this!

- A) Download a new navcore, preferably a SE version from TTuser (no need to patch this)
- B) Keep your existing one and just patch it

If you go with option B make sure your navcore support the map you want to install  
 (see chart below)

v825 Map	FEATURES		TomTom Devices ( One,GO,Rider )										PDA & PNA	
	ASR	ALG	Navcore Version										(WM/WINCE)	
MAP VERSION			79xx	8002	801x	8020	8051	8060	8070	820x	83xx	8410	74xx	79xx
825.2091	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2144	Real ?		Same as 2159, ie. Greece-27..All files same size ? .pna edited?										Unreal ?	
825.2157	Yes	Yes	No	No	No	No	No	No	No	Yes	Yes	Yes	No	No
825.2158	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2159	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2167	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2193	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2202	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
825.2203	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No	No
825.2213	No	No	No	No	No	Yes	No	Yes	No	No	No	No	No	No
825.2218	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

815.2158 ASR Yes = ASR only works on 820x/83xx/8410 Apps, therefore means No for all other navcore

First you need to download everything needed for this...the map, navcore and of course Albert's Easy Activator.

I recomend one of TTuser's SE navcores wich can be found here:

<http://www.ipmart-forum.com/showthread.php?t=341350>

Links to the new 825 maps can be found here:

<http://www.ipmart-forum.com/showthread.php?t=337584>

If you dont find what you need or want search the **MAP section** and you most likely will find what you're looking for.

Here you can get the tools you need to activate the map.

You'll also find usefull guides here as well:

<http://www.ipmart-forum.com/showthread.php?t=341283>

---

---

- First you need to make a complete backup of your existing setup and store it somewhere safe just in case something goes wrong
  - Write down you device ID, it might come in handy, you'll find it in the ttgo.bif file... you can also find it if you go to Menu → Change preferences → Show version



- When you're done with the backup you need to wipe all files on the device or SD-card or just insert a new SD-card if you have bought a new one.

I usually keep the folder with voices, then you dont need to download them after you're done. If you have a card-reader you can do this without having the card inserted in your device, it works equally good either way

- Connect your device to the PC, copy all files and folders in Basic Pack from the navcore you choosed to your device, or SD-card
- Copy the ttsystem file to your device, or SD-card.


*In this case i used v8.410*

Namn	Senast ändrad	Typ	Storlek
art	2009-03-31 10:02	Filmapp	
bin	2009-03-31 10:02	Filmapp	
ephem	2009-03-31 10:02	Filmapp	
gns	2009-03-31 10:02	Filmapp	
LoquendoTTS	2009-03-31 10:02	Filmapp	
mp3	2009-03-31 10:02	Filmapp	
Outsourced.8410	2009-03-31 10:02	Filmapp	
photos	2009-03-31 10:02	Filmapp	
script	2009-03-31 10:02	Filmapp	
text	2009-03-31 10:02	Filmapp	
data.chk	2009-02-02 08:59	Återställda filfrag...	3 630 kB
data_3c	2009-02-02 08:58	Återställda filfrag...	19 kB
data_in	2009-02-02 08:58	Återställda filfrag...	1 304 kB
data_in	2009-02-02 08:59	Återställda filfrag...	1 200 kB
data_is1.chk	2009-02-02 08:58	Återställda filfrag...	1 127 kB
data_is2.chk	2009-02-02 08:58	Återställda filfrag...	1 009 kB
data_lim.chk	2009-02-02 08:59	Återställda filfrag...	5 000 kB
data_lis.chk	2009-02-02 08:59	Återställda filfrag...	3 134 kB
data_ra.chk	2009-02-02 08:59	Återställda filfrag...	57 kB
data_sp.chk	2009-02-02 08:59	Återställda filfrag...	13 kB
data_ts.chk	2009-02-02 08:59	Återställda filfrag...	302 kB
fm2010parameters	2008-10-06 17:33	Fil	1 kB
fmsignal	2008-10-06 17:33	Fil	26 kB
gprscm.conf	2008-10-30 21:09	CONF-fil	1 kB
gprsettings.dat	2008-10-30 21:09	DAT-fil	1 kB
libaec_55.so	2008-10-06 17:33	SO-fil	94 kB
libaec_60.so	2008-10-06 17:33	SO-fil	101 kB
mctx.dat	2008-07-29 12:12	DAT-fil	1 kB
PNDNavigator	2009-02-19 17:42	Fil	6 522 kB
readmenot	2009-03-05 18:07	Textdokument	3 kB
signpost_li	2008-10-06 19:02	Textdokument	11 kB
switchfiles	2009-01-15 01:27	Komprimerad ma...	1 kB
ttsystem	2009-03-10 11:07	Fil	4 692 kB

- Copy the map of your choice to your device, or SD-card. When all the files are copied to the device i normally let the device boot, set the language, voices etc and it generates the .bif file wich will be needed later on when it's time to activate the map :) by doing it this way i don't have to bother writing down the DeviceID (i know.. i'm a lazy bastard :P)

Some first time users make the misstake and copy the mapfiles directly to the Root of the device wich is wrong, you have to copy the whole mapfolder to the root wich should contain the mapfiles.

Depending on what map you're using it should look something like in the picture ---->



Namn	Senast ändrad	Typ
art	2009-03-31 10:02	Filmapp
bin	2009-03-31 10:02	Filmapp
ephem	2009-03-31 10:02	Filmapp
gns	2009-03-31 10:02	Filmapp
LoquendoTTS	2009-03-31 10:02	Filmapp
mp3	2009-03-31 10:02	Filmapp
Outsourced.8410	2009-03-31 10:02	Filmapp
photos	2009-03-31 10:02	Filmapp
script	2009-03-31 10:02	Filmapp
test	2009-03-31 10:02	Filmapp
Western_Europe_1GB	2009-03-31 10:27	Filmapp
data.chk	2009-02-02 08:59	Återställda filfrag...
data_3d.chk	2009-02-02 08:58	Återställda filfrag...
data_im1.chk	2009-02-02 08:58	Återställda filfrag...
data_im2.chk	2009-02-02 08:59	Återställda filfrag...
data_is1.chk	2009-02-02 08:58	Återställda filfrag...
data_is2.chk	2009-02-02 08:58	Återställda filfrag...
data_lim.chk	2009-02-02 08:59	Återställda filfrag...
data_lis.chk	2009-02-02 08:59	Återställda filfrag...
data_ra.chk	2009-02-02 08:59	Återställda filfrag...
data_sp.chk	2009-02-02 08:59	Återställda filfrag...
data_ts.chk	2009-02-02 08:59	Återställda filfrag...
fm2010parameters	2008-10-06 17:33	Fil
fmsignal	2008-10-06 17:33	Fil
gprscm.conf	2008-10-30 21:09	CONF-fil
gprsettings.dat	2008-10-30 21:09	DAT-fil
libaec_55.so	2008-10-06 17:33	SO-fil
libaec_60.so	2008-10-06 17:33	SO-fil
mctx.dat	2008-07-29 12:12	DAT-fil
PNDNavigator	2009-02-19 17:42	Fil
readmenot	2009-03-05 18:07	Textdokument
signpost_li	2008-10-06 19:02	Textdokument
switchfiles	2009-01-15 01:27	Komprimerad ma...
ttsystem	2009-03-10 11:07	Fil

- Fire up Albert's Easy Activator


Be sure to run it as Administrator if your're using Win Vista

Dont forget that you can use the help in easy activator that Albert has put together to explain the different steps

- Make the necessary settings Step 1 to 5,
- Choose language, easy activator is translated into few other languages than English (more will come depending on how many users that will support and translate)  
Select the keygen you like to use, normaly v8 is prefered with v8 maps



- Where it asks you to browse for the ttgo.bif you can manually type your deviceID, this is only necessary if you're not lazy like i am :)



If you're a lazy bum like me and did what i do.. then you click the browse for \*.bif file, it's located in the root of your device

---

---

- Browse to select the mapfolder you want to activate the contents of




- Browse to select your own meta.txt or just click Download Albert's meta.txt to use Albert's meta.txt

If you have a meta-code that's not in Albert's Meta.txt you can share it by clicking the Submit New Meta Details to Albert



- When you have made all the settings just click Generate the \*.meta.dct file and it should generate the \*.meta.dct file in your map folder.



To be sure everything went well check in you mapfolder on your device to see if the \*.meta.dct file is in there

It should look something like this: *Western\_Europe\_1GB-27.meta.dct* depending on whatmap you just installed... *this is just an example from my own map*

*The next step is only if you decided to keep your old navcore and patch it to use with your new map you just installed, no need for this step if you downloaded a SE navcore since they're allready patched for your convenience*

*Just click on Patch my TomTom System File(s) and it should do it's magic for you  
If you like to patch your Home DLL just click the patchbutton for that.*



- Now you're ready to use your TT, if you've done everything right it should start without any problems and see the map you activated, you might have to download voices from TomTom's homepage if you didn't save the folder with the voices, you can also copy the voices folder from your backup to your device.

That's it.... now you can start navigate :)

*Don't forget to show your appreciation to the ppl w ho made it possible for you to use your new map using their tools and such... remember! They do this for free on their spare time to make life alot easier for us...*

*It's just 1 little click aw ay, just click the karma button and say Thanks :)*

